



**J&K POLLUTION CONTROL COMMITTEE**  
Jammu/Kashmir ([www.jkspcb.nic.in](http://www.jkspcb.nic.in))

**CONSENT ORDER**

**Consent No.:- PCC/digital/22042446829 of 2022**

**Date:- 08/09/2022**

Consent to Establish /Operate (Fresh ) under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 as amended is granted in favour of Shourya Gupta for and on behalf of

**M/s Jammu City Oncology Clinic with Interventions**  
**129 Garden Avenue Tallab Tiloo Jammu**  
**(registration No. DRA/CE(R&R)/CMO-J /2020/13**  
**dt: 10-11-2020)**

for a period upto **July 2023** for Orange category of HCE as per revised classification of industrial sector, subject to the following terms and conditions in a time bound manner :

1. The consent is granted by the Board is restricted to Prevention and Control of Pollution only and shall not be treated as substitute for any other permission required under other laws of the land.
2. The consent granted is valid for the operation of HCE for indoor patients with capital investment of Rs. 85.33 lacs.

S No.	Facility	Maximum capacity
1	HCE (Hospital) Bed capacity	14 (Nos.)

**3. Compliance under Water Act:**

- a. **Sewage Effluent** : The HCE holder has to maintain ETP and STP in an efficient manner so as to achieve the quality of treated sewage to the following standards before disposal :

**Standards of discharge for sewage disposal:**

Parameters	Conc. in mg/l except for pH
pH	6.5 to 8.5
Suspended Solids	100
BOD 3 days 27 <sup>0</sup> C	30


**b. Water consumption & disposal**

- i. The daily quantity of sewage effluent from the HCE shall not exceed 04 KLD.
  - ii. The daily quantity of water consumption shall not exceed 05 KLD.
  - iii. Waste water generated from the HCE shall be disposed through ETP / STP.
- a. The HCE holder shall take adequate safe guards for the treatment of sewerage water by way of providing septic / soakage pit and its discharge shall confirm to the set standards :

**4. Compliance under Air Act:**

- a. The HCE holder shall comply to **National Ambient Air Quality Standards** as per EP Act 1986 (refer rule 3(3B) /Air Act .
- b. The HCE holder has to operate stack (s) of the specifications defined in various environmental laws.

The industry can apply for Renewal/Expansion of Consent on the Site [www.jkcmms.nic.in](http://www.jkcmms.nic.in) directly




The HCE holder has to operate and maintain continuous operation of a comprehensive air pollution control system including the following pollution control devices to achieve the quality of emission within tolerance limits as per EP Act 1986.

S.No.	Pollution Control Equipments
1	ETP / STP and Pollution control devices as applicable under Environment Protection Act 1986.

5. The HCE holder shall comply to the Solid Waste Management Rules 2016 dated 8-4-2016.
6. **Compliance under Noise Pollution (Regulation and Control) Rules 2000 as amended**  
The HCE holder shall take adequate measures for control of noise from its own sources within the premises so as to maintain noise to as per the standards.
7. **Self Monitoring Schedule :** The HCE holder shall get the samples of treated emissions and effluents analysed from the J&K PCB laboratory or laboratory approved by the J&K PCB after every six months to check the efficacy of PCDs installed in the HCE .
8. **The HCE holder shall comply with the additional conditions as stipulated below :-**
  - i. The Consent is valid for the **Operation of (HCE) health care establishment only.**
  - ii. Pollution Control Devices (STP/PCD) as contemplated to achieve the quality of effluent/ emission at the time of operation within the tolerance limits prescribed, shall have to be operational . The effluent / emission shall not contain constituents in excess of the tolerance limits as laid down by J & K State Pollution Control Board.
  - iii. The health care establishment authority shall be liable to pay compensation in case any damage is caused to the environment.
  - iv. The health care establishment authority shall abide by the directions of the Board which will be issued from time to time. Any infringement/violation or transgression of the statutory enactments of pollution control acts by the HCE, shall be sufficient cause to prosecute the violator in conformity with relevant section of Air / Water Acts and Environment Protection Act in force.
  - v. The health care establishment shall be under surveillance and monitoring of J & K Pollution Control Board.
  - vi. The health care establishment authority shall raise green belt of suitable plant species within the premises of HCE.
  - vii. The health care establishment owner shall provide adequate arrangement for fighting the accidental leakages/discharge of any air pollutant/gas/liquid from the machinery etc. which are likely to cause fire hazard and also install well equipped fire control system in each floor separately..
  - viii. Good House keeping practices shall be adopted by the health care establishment authority.
  - ix. It shall be the responsibility of the health care establishment owner to ensure that there are no complaints from the surrounding areas due to pollution caused by the health care establishment .
  - x. The Health Care Establishment owner shall not operate the HCE unless Board issue consent to operate fresh.
  - xi. The Health Care Establishment owner should apply 60 days in advance for renewal of Consent before expiry the date of this Consent order.
  - xii. The Health Care Establishment authority will adopt proper system for disposal of waste water and bio medical waste.
  - xiii. The Health care establishment authority shall place different receptacles with color coding for the collection of bio medical waste as per Bio Medical Wastes (Management & Handling) Rules 2008 with amendments.
  - xiv. The Health care establishment authority shall install separate energy meter. Digital flow meters for ETP / STP and follow the Bio Medical Waste (Management & Handling) Rules 1989 and amendments made thereof.




The industry can apply for Renewal/Expansion of Consent on the Site [www.jkacmms.nic.in](http://www.jkacmms.nic.in) directly



- xv. Necessary no objection certificate with regard to extraction of ground water shall be obtained from concerned Chief Engineer , Jal Shakti Department.
- xvi. In case of violation of the above mentioned conditions or any public complaint the consent shall be withdrawn.
- xvii. This consent is issued purely from environmental angle and the Board shall not be responsible for any claim, counter claim, ownership, partnership etc of the HCE.
- xviii. *This consent is issued subject to strict adherence to the standards of effluent and solid waste rules .*

  
(Ashok Kr Gupta)  
Asstt Env engineer

  
(K Ramesh Kumar)  
Member Secretary

Copy to the :

1. Regional Director PCC Jammu for information and ensure the implementation of conditions as above.
2. Commissioner , JMC Jammu for information.
3. Director Health Service Jammu for information.
4. P.A to Chairman J&K PCC for the information of Chairman.
5. M/s Jammu City Oncology Clinic with Interventions 129 Tallab Tilloo Garden Avenue Jammu for information .
6. Office file



The unit holder may download the list of standards from website [jkspcb.nic.in](http://jkspcb.nic.in) and [cpcb.nic.in](http://cpcb.nic.in) to be complied under the Environment Protection Act, 1986 read with Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981.

**This is computer generated document from OCMMS by JKSPCB**